

$$U_3(3).2 \pmod{2}$$

	blocks	defect	matrix
$G :$	1	6	15×3
	2	0	$64_1 = \chi_{13+}, \varphi_{4+}$

Block 1:	$\varphi_{1,0}$	$\varphi_{2,0}$	$\varphi_{3,0}$	
$1_1 = \chi_{1,0}$	1	.	.	
$1_2 = \chi_{1,1}$	1	.	.	
$6_1 = \chi_{2,0}$.	1	.	
$6_2 = \chi_{2,1}$.	1	.	
$7_1 = \chi_{3,0}$	1	1	.	
$7_2 = \chi_{3,1}$	1	1	.	$\varphi_{1,0} = 1_1$
$14_1 = \chi_{4+}$	2	2	.	$\varphi_{2,0} = 6_1$
$14_2 = \chi_{6,0}$.	.	1	$\varphi_{3,0} = 14_1$
$14_3 = \chi_{6,1}$.	.	1	
$21_1 = \chi_{7,0}$	1	1	1	
$21_2 = \chi_{7,1}$	1	1	1	
$42_1 = \chi_{8+}$	2	2	2	
$27_1 = \chi_{10,0}$	1	2	1	
$27_2 = \chi_{10,1}$	1	2	1	
$56_1 = \chi_{11+}$	4	4	2	