## $L_2(17).2 \pmod{3}$

	blocks	defect	matrix
G:	1 2	2 2	$\begin{array}{c} 6\times 2 \\ 6\times 2 \end{array}$
	3 4 5 6 7	0 0 0 0	$18_1 = \chi_{2+}, \varphi_{2+}$ $18_2 = \chi_{9,0}, \varphi_{5,0}$ $18_3 = \chi_{9,1}, \varphi_{5,1}$ $18_4 = \chi_{10,0}, \varphi_{6,0}$ $18_5 = \chi_{10,1}, \varphi_{6,1}$
	8 9	0	$ \begin{array}{c} 3 & \chi_{13,17} & \varphi_{3,1} \\ 18_6 &= \chi_{11,0}, \varphi_{7,0} \\ 18_7 &= \chi_{11,1}, \varphi_{7,1} \end{array} $

blocks de	efect matrix
2.G: 10 11 12 13 14 15 16 17 18	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$

Block 1:	$\varphi_{1,0}$	$\varphi_{4,1}$
$1_1 = \chi_{1,0}$	1	
$16_2 = \chi_{4,1}$		1
$16_4 = \chi_{5,1}$		1
$16_6 = \chi_{6,1}$		1
$16_8 = \chi_{7,1}$		1
$17_2 = \chi_{8,1}$	1	1

$$\begin{array}{rcl} \varphi_{1,0} & = & 1_1 \\ \varphi_{4,1} & = & 16_2 \end{array}$$

Block 2:
 
$$\varphi_{1,1}$$
 $\varphi_{4,0}$ 
 $1_2 = \chi_{1,1}$ 
 1
 .

  $16_1 = \chi_{4,0}$ 
 .
 1

  $16_3 = \chi_{5,0}$ 
 .
 1

  $16_5 = \chi_{6,0}$ 
 .
 1

  $16_7 = \chi_{7,0}$ 
 .
 1

  $17_1 = \chi_{8,0}$ 
 1
 1

$$\begin{array}{rcl} \varphi_{1,1} & = & 1_2 \\ \varphi_{4,0} & = & 16_1 \end{array}$$

Block 10:	$\varphi_{8+}$
$16_9 = \chi_{12+}$	1
$16_{10} = \chi_{14,0}$	1
$16_{11} = \chi_{14,1}$	1
$16_{12} = \chi_{15,0}$	1
$16_{13} = \chi_{15,1}$	1
$16_{14} = \chi_{16,0}$	1
$16_{15} = \chi_{16,1}$	1
$16_{16} = \chi_{17,0}$	1
$16_{17} = \chi_{17,1}$	1

$$\varphi_{8+} = 16_3$$