

$${}^2D_7(q) \bmod l, d = 10$$

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps
222.	.	.	.	.	.	.	.	.	.	.	.	.	.
22.2	.	.	.	.	.	.	.	.	.	.	.	.	.
.222	.	.	.	.	.	.	.	.	.	.	.	.	.
3111.	.	.	.	.	.	.	.	.	.	.	.	.	.
111.3	.	.	.	.	.	.	.	.	.	.	.	.	.
11.31	.	.	.	.	.	.	.	.	.	.	.	.	.
31.11	.	.	.	.	.	.	.	.	.	.	.	.	.
3.111	.	.	.	.	.	.	.	.	.	.	.	.	.
321.	.	.	.	.	.	.	.	.	.	.	.	.	.
21.3	.	.	.	.	.	.	.	.	.	.	.	.	.
1.32	.	.	.	.	.	.	.	.	.	.	.	.	.
3.21	.	.	.	.	.	.	.	.	.	.	.	.	.
.321	1	.	.	.	.	.	.	.	.	.	.	.	.
33.	.	1	.	.	.	.	.	.	.	.	.	.	.
.33	.	.	1	.	.	.	.	.	.	.	.	.	.
11.4	.	.	.	1	.	.	.	.	.	.	.	.	.
41.1	.	.	.	.	1	.	.	.	.	.	.	.	.
1.41	.	.	.	.	.	1	.	.	.	.	.	.	.
4.11	.	.	.	.	.	.	1	.	.	.	.	.	.
.411	.	.	.	.	.	.	.	1	.	.	.	.	.
2.4	.	.	.	.	.	.	.	.	1	.	.	.	.
.42	.	.	.	.	.	.	.	.	.	1	.	.	.
1.5	.	.	.	.	.	.	.	.	.	.	1	.	.
.51	.	.	.	.	.	.	.	.	.	.	.	1	.
.6	.	.	.	.	.	.	.	.	.	.	.	.	1

References

- [FS90] P. Fong and B. Srinivasan. Brauer trees in classical groups. *J. Algebra*, 131(1):179–225, 1990.