

$${}^2D_7(q) \bmod l, d = 8$$

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps
111111.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11111.1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11.1111	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
21111.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1111.2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
211.11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2211.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
21.21	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1.221	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.211	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
222.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
111.3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
311.1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
31.11	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
1.311	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
3.111	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
32.1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
2.31	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
.33	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
11.4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
4.2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
.42	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
1.5	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
.51	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
.6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1

References

- [FS90] P. Fong and B. Srinivasan. Brauer trees in classical groups. *J. Algebra*, 131(1):179–225, 1990.