

$$D_7(q) \bmod l, d = 10$$
[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	ps	D_4	D_4	D_4	D_4
1.321	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.311	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.3211	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
22.3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2.32	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.322	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1.33	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3.31	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.331	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
111.4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1.411	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.4111	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1.42	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
2.41	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
.421	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
3.4	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
.43	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
11.5	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
.511	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
.52	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
1.6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
$D_4 : 111.$	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
$D_4 : 2.1$	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
$D_4 : .3$	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
$D_4 : 1.11$	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1

References

- [FS90] P. Fong and B. Srinivasan. Brauer trees in classical groups. *J. Algebra*, 131(1):179–225, 1990.